



F E D E R A L
S T U D E N T A I D

We Help Put America Through School

FSA Modernization Partner

NSLDS II Reengineering
Procedures Detail Design:
Account Maintenance Fees (AMF)
P-AMF-1

Version 1.0

November 08, 2002

Table of Contents

| | | |
|----------|---|----------|
| 1 | Account Maintenance Fee (AMF) Process | 2 |
| 1.1 | ONLINE AMF REQUEST INITIATOR (WEB SCREEN) | 3 |
| 1.1.1 | Procedure Specifications | 3 |
| 1.1.2 | Procedure Flow | 3 |
| 1.1.3 | Computational Logic – Input Requested Parameters | 3 |
| 1.1.3.1 | Inputs | 4 |
| 1.1.3.2 | Outputs | 5 |
| 1.1.4 | Procedure Assumptions | 6 |
| 1.2 | AMF DETAIL EXTRACT AND SUMMARIZE | 7 |
| 1.2.1 | Procedure Specifications | 7 |
| 1.2.2 | Procedure Flow | 8 |
| 1.2.3 | Computational Logic - Define Report Parameters | 8 |
| 1.2.3.1 | Inputs | 9 |
| 1.2.3.2 | Outputs | 11 |
| 1.2.4 | Computational Logic – Extract Detail Data | 11 |
| 1.2.4.1 | Inputs | 16 |
| 1.2.4.2 | Outputs | 17 |
| 1.2.4.3 | Definitions | 20 |
| 1.2.5 | Computational Logic – Calculate AMF Summary | 21 |
| 1.2.5.1 | Inputs | 22 |
| 1.2.5.2 | Outputs | 23 |
| 1.2.5.3 | Definitions | 24 |
| 1.2.6 | Procedure Assumptions | 25 |
| 1.3 | INDIVIDUAL GA AMF LOAN DETAIL FILE CREATE, TRANSMIT, AND BACKUP | 26 |
| 1.3.1 | Procedure Specifications | 26 |
| 1.3.2 | Procedure Flow | 26 |
| 1.3.3 | Computational Logic – Generate AMF Detail | 27 |
| 1.3.3.1 | Inputs | 28 |
| 1.3.3.2 | Outputs | 29 |
| 1.3.4 | Procedure Assumptions | 34 |

Document Control

| Version Number | Description | Release Date | Author |
|----------------|-----------------|--------------|--------------|
| 1.0 | Initial Release | 11/08/2002 | David Marker |
| | | | |

1 Account Maintenance Fee (AMF) Process

The U.S. Department of Education (DOE) is required to pay Accounts Maintenance Fees (AMF) to the Guaranty Agencies (GA) each year for servicing the Student Loans in the FFEL Program. Federal Student Aid (FSA) has chosen to make the payments every quarter. In the first three quarters of a Fiscal Year, an estimated amount is paid as an advance based on the past years history. The final amount is adjusted in the fourth quarter, based on the Outstanding Principal Balance on open loans at the end of the current year.

To facilitate this process, NSLDS II will compute the Outstanding Principal Balance for open loans in each GA's portfolio and transmit the information to FSA's Financial Management System (FMS) once a year at the end of the fourth quarter. Using these values, FMS then calculates the AMF total for the year. The difference between the AMF total and the amounts paid in the previous three quarters is determined by FMS and subsequently paid to the GAs. One fourth of the total AMF paid during the current year is then paid as an advance in the subsequent three quarters of the following year.

NSLDS II also transmits the back-up detailed loan level data to substantiate the AMF computation to the GAs.

The AMF process is scheduled to run in default mode on the 45th day following the end of the fiscal year. The AMF process may also be initiated in request mode for a single GA or for all GAs if FSA determines a re-computation is required due to the timing and/or corrections to detailed data provided by the GAs.

The AMF Process consists of the following procedures:

- Online AMF Request initiator (WEB Screen) (**Section 1.1**)
- AMF Detail Extract and Summarize (**Section 1.2**)
 - Define Report Parameters
 - Extract Detail Data
 - Calculate AMF Summary
- Individual GA AMF Loan Detail File Create, Transmit, and Backup (**Section 1.3**)

1.1 Online AMF Request Initiator (WEB Screen)

1.1.1 Procedure Specifications

| | |
|---|--|
| Procedure Name: | Online AMF Request Initiator |
| Procedure Short Description: | This is a web data entry screen that facilitates the entry of parameters when AMF computation is required |
| Data Source: | Authorized FSA or NSLDS II users manually enter data through a custom MicroStrategy web interface |
| Procedure Frequency: | 5-6 times a year |
| Detailed Technical Requirement References: | 5.039, 5.041 |
| Output Media: | RPT_PARM and RPT_PARM_ATT tables. Variables sent to kick off AMF Detail Extract and Summarize (Section 1.2) |
| Output Target Platform: | NSLDS II DB2 EEE |
| Output Storage Requirements: | 1 entry for the RPT_PARM table and 4 entries for the RPT_PARM_ATT table created for each requested run are stored permanently |
| Related Interfaces/Screens: | FMS (See Interface Detail Design: I-FMS-1 Section 1.2 AMF Summary Interface) MBR007 (See NSLDS II Reengineering Screens Detail Design: Exception Reports Section 3.11 Accounts Maintenance Fee Extract Report Parameter) |

1.1.2 Procedure Flow




Figure 1, Online AMF Request Initiator

1.1.3 Computational Logic – Input Requested Parameters

/*Request is made for AMF computation for one or more GAs*/

/*Authorized FSA/NSLDS II personnel input the AMF parameters through the web screen */

Web Screen captures following data fields:

Fiscal Year (Year for which to compute the AMF)

GA Code – single GA or '*' for All GAs

GA Over Ride Indicator – Y or N

AMF Fee to be Paid Indicator – Y or N

Back Up Data to GA – Y or N

/* Note: See Screen Detail Design for validations (e.g. GA Code must exist in GA table and unless Over Ride Indicator = Y then the GA.ACT_CODE must = spaces)*/

/* Input Parameters are submitted and saved to the database */
Create RPT_PARM

Create RPT_PARM_ATTR for the given Report Parameter

Set SEQ = 1

Set NUM_VAL to Input Fiscal Year

Set SEQ = 2

Set CHAR_VAL to Input GA Code

Set SEQ = 3

Set CHAR_VAL to Input GA Over Ride Indicator

Set SEQ = 4

Set CHAR_VAL to Input AMF Fee to be Paid Indicator

Set SEQ = 5

Set CHAR_VAL to Input Back Up Data to GA

/* Parameters passed to initiate AMF processing */

Call **AMF Detail Extract and Summarize** procedure and pass RPT_ID and PARM_TSTAMP as variables

NOTE: the scheduled AMF process is initiated by calling the **AMF Detail Extract and Summarize** procedure with the following Report Parameters:

RPT_ID = MBR007

PARM_TSTAMP = 2999-12-31:00:00:00

1.1.3.1 Inputs

Web Input Screen



Menu **Aid** **Enroll** **Org** **Report** **Tran**



[Report List](#)

Logged on as: ALLISON WEBSTER from [Department of Education Region 0](#)



[Return to Report List](#)

ID: [MBR007](#) Type: Report

Name: ACCOUNTS MAINTENANCE FEE EXTRACT



[Go to Report Log](#)

Report Parameters

| | | |
|-------------------------------|---------------------------------------|---|
| FISCAL YEAR: | <input type="text"/> | CCYY |
| GA CODE (OPTIONAL): | <input type="text"/> | <input type="button" value="Org Search"/> |
| GA OVER RIDE INDICATOR: | <input type="text" value="N"/> | C |
| AMF FEE TO BE PAID INDICATOR: | <input type="text" value="N"/> | C |
| BACK UIP DATA TO GA: | <input type="text" value="N"/> | C |
| Sort By: | 1 GA CODE | |
| Output Medium: | <input type="text" value="-Select-"/> | |

Note: Actual Web Screen will be in standard Microstrategy format and may appear differently than above

1.1.3.2 Outputs

RPT_PARM (Database Output, values also passed to initiate AMF Detail Extract and Summarize procedure – RPT_ID_VAR & PARM_TSTAMP_VAR)

| Data Element | Length | Type | Description | Mapping |
|--------------|--------|------|---|--------------------------------------|
| RPT_ID | 6 | C | Used to distinguish between AMF, LPIF, and Federal Receivables extract. | "MBR007" |
| PARM_TSTAMP | 10 | T | Date web inputs were entered | System Time Stamp |
| UID | 8 | C | User of ID of requesting Individual | Pulled from requesting user's log in |

RPT_PARM_ATTR

| Data Element | Length | Type | Description | Mapping |
|-----------------|--------|------|---|----------------------|
| RPT_PARM_RPT_ID | 6 | C | Used to distinguish between AMF, LPIF, and Federal Receivables extract. | RPT_PARM.RPT_ID |
| RPT_PARM_TSTAMP | 10 | T | Date web inputs were entered | RPT_PARM.PARM TSTAMP |

| Data Element | Length | Type | Description | Mapping |
|--------------|--------|------|---|--|
| SEQ | 2 | N | Generic field used to give an ID for a report attribute | Sequence numbers 1-5 are populated, see section 1.1.3 logic. |
| CHAR_VAL | 40 | C | Generic field used to give a character value for a report attribute | Sequence numbers 1-5 are populated, see section 1.1.3 logic |
| NUM_VAL | 12 | N | Generic field used to give a numeric value for a report attribute | Sequence numbers 1-5 are populated, see section 1.1.3 logic |
| DT_VAL | 10 | T | Generic field used to give a date value for a report attribute | Sequence numbers 1-5 are populated, see section 1.1.3 logic. |

1.1.4 Procedure Assumptions

| # | Assumption |
|---|--|
| 1 | Any requests made for recalculating the AMF for a previous Fiscal Year are run using the current (as of run date) NSLDS data |
| 2 | The scheduled mode is set to run on the 45 th day after the end of the fiscal year regardless of any AMF request activity |

1.2 AMF Detail Extract and Summarize

1.2.1 Procedure Specifications

| | |
|---|--|
| Procedure Name: | AMF Detail Extract and Summarize |
| Procedure Short Description: | The procedure first determines a report begin and end date. Based on this time period, the matching data from Loan, Loan Guarantor, Guaranty Agency, and Loan Cancellation tables are retrieved. The procedure populates this detail data in a temp table and then summarizes it to populate the GA Summary table. |
| Data Source: | Report ID and Parameter Timestamp are passed as part of Schedule or Request initiation. Database tables with Loan, Student, School, and GA data. |
| Procedure Frequency: | On Request (5-6 times a year) and Scheduled once a year |
| Detailed Technical Requirement References: | 5.039, 5.041 |
| Output Media: | AMF_DETAIL_TEMP and GA_SUM Tables |
| Output Target Platform: | NSLDS II |
| Output Storage Requirements: | GA_SUM table data stored permanently |
| Related Interfaces/Screens: | FMS (See Interface Detail Design: I-FMS-1 Section 1.2 AMF Summary Interface) MBR007 (See NSLDS II Reengineering Screens Detail Design: Exception Reports Section 3.11 Accounts Maintenance Fee Extract Report Parameter) |

1.2.2 Procedure Flow




Figure 2, AMF Detail Extract and Summarize

1.2.3 Computational Logic - Define Report Parameters

/*****
 This function determines if the application is running in Scheduled mode or in a Request mode. If it is in Scheduled mode, the Report Begin and End Dates are computed using the run date. If it is in Request mode, the Report Begin and End dates are calculated using the inputted FY. For both modes, GA information is retrieved from the Report Parameter Attribute table. A temp table is created, which is used in the next step when performing the actual detail data extract.
 *****/

/*Note this command checks that the correct variables are being passed to the procedure, this step should always pass*/
 If RPT_ID_VAR <> MBR007
 Procedure ends with error

End If

/* Determine Report Begin and End dates for Scheduled Mode*/

If PARM_TSTAMP_VAR = 2999-12-31:00:00:00

Set Report End date equal to Latest end of the Fiscal Year Date (September 30) before the
Current Date – (RPT_PARM_ATT.NUM_VAL where SEQ = 14)

Set Report Begin date to begin of the same Fiscal Year (October 1)

Populate PARM_ATTR_TEMP

/* Determine Report Begin and End dates for Requested Mode*/

Else

Set Report Begin date to (October 1 and FY = RPT_PARAM_ATT.DT_VAL where SEQ = 1 and
RPT_PARAM. RPT_ID = MBR007)

Set Report End date to (September 30 and FY = RPT_PARAM_ATT.DT_VAL where SEQ = 1 and
RPT_PARAM. RPT_ID = MBR007)

Populate PARM_ATTR_TEMP

End If

1.2.3.1 Inputs

RPT_PARM

| Data Element | Length | Type | Description | Mapping |
|-----------------|--------|------|---|---|
| RPT_ID_VAR | 6 | C | Value for Report ID, should be MBR007 | Passed as variable when procedure initiated (RPT_PARM.RPT_ID) |
| PARM_TSTAMP_VAR | 26 | T | Timestamp Text | Passed as variable when procedure initiated (RPT_PARM. PARM_TSTAMP) |
| UID | 8 | C | User of ID of requesting Individual | Pulled from requesting user's log on |

When the PARM_TSTAMP is set to '2999-12-31:00:00:00', the application must be run in Scheduled mode. If the timestamp is set to any other valid value, the application must be run in Request mode.

RPT_PARM_ATTR

| Data Element | Length | Type | Description | Mapping |
|----------------------|--------|------|---|--|
| RPT_PARM_RPT_ID | 6 | C | Used to distinguish between AMF, LPIF, and Federal Receivables extract. | RPT_ID_VAR |
| RPT_PARM_PARM_TSTAMP | 10 | T | Date web inputs were entered | PARM_TSTAMP_VAR |
| SEQ | 2 | N | Generic field used to give an ID for a report attribute | Sequence numbers 1-5 are populated, see section 1.1.3 logic. |
| CHAR_VAL | 40 | C | Generic field used to give a character value for a report attribute | Sequence numbers 1-5 are populated, see section 1.1.3 logic |
| NUM_VAL | 12 | N | Generic field used to give a numeric value for a report attribute | Sequence numbers 1-5 are populated, see section 1.1.3 logic |
| DT_VAL | 10 | T | Generic field used to give a date value for a report attribute | Sequence numbers 1-5 are populated, see section 1.1.3 logic. |

RPT_PARM_ATTR (Static Values for Scheduled mode)

NOTE: These static values must be added to the RPT_PARM_ATTR table

| Parameter Meaning | SEQ | Attribute Populated | Possible Values |
|--------------------------------|-----|---------------------|---|
| GA Code | 2 | CHAR_VAL | * (specifies all GA's) |
| GA inactive Override indicator | 3 | CHAR_VAL | 'N' |
| Fee Paid Indicator | 5 | CHAR_VAL | 'Y' - (fee needs to be paid- information needs to be sent to FMS) |
| Backup data required indicator | 6 | CHAR_VAL | 'Y' - (backup data needs to be distributed to the GA). |
| Report Type | 11 | CHAR_VAL | 'Y' — Yearly |
| Number of Days Back | 14 | NUM_VAL | '45' - Number used to compute Report End Date by as many days from the date on which the application is running |

RPT_PARM_ATTR (Values for Request mode)

| Parameter Meaning | SEQ | Attribute populated | Possible Values |
|-------------------------|-----|---------------------|----------------------|
| Report Fiscal Year | 1 | NUM_VAL | YYYY format. |
| GA Code (e.g., RC8AFY): | 2 | CHAR_VAL | Valid NSLDS GA Code. |

| Parameter Meaning | SEQ | Attribute populated | Possible Values |
|--|-----|---------------------|---|
| For Fiscal Year: GA Override Indicator | 3 | CHAR_VAL | Y- indicates override even when GA is closed. N – indicates GA is disregarded if it is closed |
| Fee Paid Indicator | 4 | CHAR_VAL | Y- indicates fee needs to be paid using this date. N- indicates fee not paid. |
| Backup data required indicator | 5 | CHAR_VAL | Y- means backup data needs to be distributed to the GA. N- indicates analysis only. Backup data is not required to be sent to GAs. |

1.2.3.2 Outputs

PARM_ATTR_TEMP

| Data Element | Length | Type | Description | Mapping |
|-----------------------|--------|------|--|------------------------|
| RPT_ID | 6 | C | Value for Report ID is MBR007 | RPT_PARM_ATTR |
| UID | 8 | C | User of ID of requesting Individual | RPT_PARM.UID |
| RPT_BEG_DT | 8 | D | Report Begin Date - October 1 of FY | Calculate in Procedure |
| RPT_END_DT | 8 | D | Report End Date – September 30 of FY | Calculate in Procedure |
| GA_CODE | 3 | C | Code for the Guaranty or ‘*’ to specify all agencies | RPT_PARM_ATTR |
| GA_INACT_O VRR_IND | 1 | C | When this is set to ‘Y’ then use the GA code for processing even if the activity code is set to ‘CLOSED’ | RPT_PARM_ATTR |
| FEE_PAY_IND | 1 | C | Flag indicating whether the run is official and the fee needs to be paid through FMS | RPT_PARM_ATTR |
| BACKUP_IND | 1 | C | Flag indicating whether backup data needs to be sent to the GA | RPT_PARM_ATTR |

1.2.4 Computational Logic – Extract Detail Data

/*****
The following are the Criteria for Loan Selection:

- The loan must have been updated in the last 4 ¼ years, as indicated by the Outstanding Principal Balance Date.

- b) The current Loan Status Date on the Loan record must be earlier than the Report End Date and the corresponding current Loan Status must be Open. (See Appendix A.)
- c) When condition (b) is not satisfied, the latest Loan Status as of the Report End Date must be Open or there must be a repurchase after the Loan Status Date and earlier than Report End Date.
- d) If condition (c) is not satisfied, no valid loan status earlier than Report End date is available. This indicates non-status loans. Include these non-status loans if there is no insurance claim payment or if there is an insurance claim payment but it has a later repurchase date.

*****/

/* Prepare the detail temp table by clearing out any old data */
Clear the AMF_DETAIL_TEMP table of any old data

/** #1 Select GAs – This is outer loop */
If input GA Code is '*',
 Read each GA /*guaranty agency*/
Else
 Read specific GA where GA.CODE = PARM_ATTR_TEMP.GA_CODE
End If

If PARM_ATTR_TEMP.GA_INACT_OVRR_IND /* Inactive override indicator*/ = 'N' and
GA.ACT_CODE (Activity Code) NOT = spaces /* If it is Spaces indicates the GA is active */
 Skip the GA and go to the next GA
End If

/* Note this is just a back up check. This check should already have been made when the user enters
the GA selection at the request web page */
If no GA is selected for input parameter criteria
 Terminate processing with appropriate error message.
End If

/** #2 Determine GA responsibility within the extract period – This is the inner loop; selecting Loan
Guarantors (a Loan Guarantor is associated with one unique Loan)*/

Read each LOAN_GUA associated with the GA where (LOAN_GUA.RESP_BEG_DT <=
PAR_ATTR_TEMP.RPT_END_DT and LOAN_GUA.RESP_END_DT >=
PAR_ATTR_TEMP.RPT_END_DT and LOAN_GUA.VAL_IND (valid indicator) = spaces)
 Select for Output LOAN_GUA.RESP_BEG_DT, LOAN_GUA.RESP_END_DT and
 LOAN_GUA.GA_CODE

/* Determine if GA continues to have responsibility on the day of the Program Run. Note: This is to
check whether the loan has been transferred to Debt Collection or ECMC. When Debt Collection and

ECMC are reporting their Guaranty Amount, it is already adjusted to be the net of the Original Guaranty Amount – Original Cancellation Amount. As such, cancellations are not selected for these GA codes. */

```
/*Initiate the Bypass Cancellation variable*/  
BYPASS_CAN_FLAG_VAR = 'N'
```

```
If LOAN_GUA.RESP_END_DT >= Current Date (same as Program Run date),  
    Continue, go to #3 /* The GA continues to be responsible */
```

```
Else
```

```
    /*Initiate the Current GA's Responsibility End Date variable*/
```

```
    OLD_RESP_END_DT_VAR = LOAN_GUA.RESP_END_DT
```

```
    Loop through and read all other LOAN_GUARANTOR associated with the LOAN
```

```
        If Current LOAN_GUA.RESP_BEG_DT >= OLD_RESP_END_DT_VAR
```

```
            If the current LOAN_GUA.GA_CODE = '555' or '927',
```

```
                Set BYPASS_CAN_FLAG_VAR = 'Y' /* DO NOT take ANY cancellation  
                values */
```

```
            End If
```

```
        End If
```

```
    End Loop
```

```
End If
```

```
/** #3 Identify the loans belonging to the GA, since this is inside the inner# 2 loop currently looking at  
Loan associated with the current Loan Guarantor***/
```

```
/** #3a Determine Activity Report Cut Off Date***/
```

```
Set ACT_CUT_DT_VAR = PARM_ATTR_TEMP.RPT_END_DT – (4yrs 6 mos)
```

```
/* (For example, for FY 1999 the Report Cut Off Date is July 1, 1995 and for FY 2000 the Report Cut Off  
Date is July 1, 1996.)*/
```

```
Read LOAN data associated with the current LOAN_GUA
```

```
If LOAN.OUT_PRIN_BAL_DT => ACT_CUT_DT_VAR
```

```
    Continue Reading Loan Data
```

```
Else If LOAN.OUT_PRIN_BAL_DT = NULL
```

```
    Verify if LOAN.DT => ACT_CUT_DT_VAR
```

```
    Continue Reading Loan Data
```

```
Else /*Loan has not been updated in the required timeframe so Bypass the loan */
```

```
    Go to next LOAN_GUA
```

```
End If
```

```
/** #3b Determine whether the current Loan Status Date on the Loan record is earlier than the Report  
End Date and the corresponding current Loan Status is Open***/
```

If LOAN.CURR_LOAN_STAT = ('ID', 'DA', 'FB', 'RP') and LOAN.CURR_LOAN_STAT_DT <= RPT_END_DT

/*Loan is in Open Status as of the end of FY so all LOAN table level data is current*/
Select for Output LOAN.AMT, LOAN.DT, LOAN.TOT_CAN and LOAN.CURR_CAN_DT,
LOAN.TOT_DIS, and LOAN.CURR_DIS_DT
Go to #3f to get the remaining detail information and then Go to the next LOAN_GUA

/** #3c If # 3b is not satisfied, check if the latest Loan was open but the current info doesn't show its open since the loan status has changes or there has been a repurchase**/

Else

Read most recent past LOAN_STAT associated with LOAN by sorting LOAN_STAT descending using LOAN_STAT.DT where LOAN_STAT.DT <= RPT_END_DT and LOAN_STAT.VAL_IND = spaces

If LOAN_STATUS.CODE = ('ID', 'DA', 'FB', 'RP'),
Select for Output LOAN.AMT, LOAN.DT, LOAN_STAT.CODE and
LOAN_STAT.DT
Else /*Loan status NOT = ('ID', 'DA', 'FB', 'RP')*/
/*(Check if there is a repurchase after the Loan Status Date but before the Report
End Date. If not, then the loan is bypassed.)*/
Read each RPCH_LOAN /*repurchase loan */ associated with current LOAN
sorted Descending RPCH_LOAN.DT
If (RPCH_LOAN.DT >= LOAN_STAT.DT
And RPCH_LOAN.DT <= RPT_END_DT)
Select for Output LOAN.AMT, LOAN.DT, LOAN_STAT.CODE,
and LOAN_STAT.DT
Else /*No Repurchase Exists since last status change and before end of FY
so Bypass the Loan*/
Skip LOAN_GUA and Go to next LOAN_GUA
End If
End If

/* No past Loan Status found for the loan. The loan status and date are taken from the LOAN table and will be blank */

Else

/*(Now check for insurance Claim Payments that have no repurchase.)*/
If exists - Read most current Lender Branch Holder's INSUR_CL_PMT (insurance claim payment) associated with current LOAN by sorting Descending INSUR_CL_PMT.DT where INSUR_CL_PMT.VAL_IND = spaces and INSUR_CL_PMT.DT <= RPT_END_DT

Read most current RPCH_LOAN associated with current LOAN by sorting
Descending RPCH_LOAN.DT

```
If RPCH_LOAN.DT > = INSUR_CL_PMT.DT and RPCH_LOAN.DT <=
  PARM_ATTR_TEMP .RPT_END_DT
  /*Insurance Claim Payment Records Exist with repurchase*/
  Select for Output LOAN.AMT, LOAN.DT
Else /*Insurance Claim Payment Records Exist without repurchase so
  Bypass the Loan*/
  Skip LOAN_GUA and Go to next LOAN_GUA
End If
Else /*No repurchase is read, so Insurance Claim Payment Records exist without
  repurchase so Bypass the Loan*/
  Skip LOAN_GUA and Go to next LOAN_GUA
End if
Else /*No Insurance Claim Payment Records Exist*/
  Select for Output LOAN.AMT, LOAN.DT
End If
End If
End If

/*** #3d Determine Cancellation Values, NOTE: This includes Cancellations that may have occurred
even before the GA had responsibility*** /
If BYPASS_CAN_FLAG_VAR = 'Y'
  Go to #3e and do not select the Cancellation Amt /*Loan Amount already has the
  cancellation amount factored into it*/
Else
  Read most recent LOAN_CAN associated with the LOAN by sorting descending
  LOAN_CAN.DT where LOAN_CAN.DT <= PAR_ATTR_TEMP.RPT_END_DT
  Select for Output LOAN_CAN.DT and LOAN_CAN.CUM_AMT
End If

/*** #3e Determine Disbursement Values*** /

Read most recent LOAN_DIS associated with the LOAN by sorting descending LOAN_DIS.DT where
LOAN_DIS.DT <= RPT_END_DT
Select for Output LOAN_DIS DT and CUM_AMT

/*** #3f Retrieve Student, PLUS Borrower, Loan Originating School, and School Branch information for
the extracted loan*** /

Read Student Branch originating the extracted loan whose valid indicator is spaces. Read Student
associated with this Student Branch. Get SSN, First Name, Last Name, and Date of Birth.

Read School Branch and School associated with the Student Branch. Get School Branch Code and
School Code.
```


If the loan type is “PL”, read the latest PLUS Borrower Loan associated with the loan. Read PLUS Borrower for this PLUS Borrower Loan to get SSN, First and Last Names, Date of Birth information.

Read Loan External Identification for current loan. Get the code.

```
/* End Loan Guaranty Loop*/  
End Loop Read Next LOAN_GUA
```

```
/*End GA Loop*/  
End Loop Read Next GA
```

1.2.4.1 Inputs

PARM_ATTR_TEMP (See 1.2.3.2 Outputs for layout)

Base Tables and Data Elements

| Entity | Attribute |
|---------|-------------------|
| LOAN | CURR_LEN_CODE |
| | CURR_LEN_SVR_CODE |
| | CURR_LOAN_STAT |
| | CURR_LOAN_STAT_DT |
| | CURR_MAT_DT |
| | TOT_CAN |
| | TOT_DIS |
| | CURR_DIS_DATE |
| | DT |
| | AMT |
| | FFEL_DUP_ID |
| | OUT_PRIN_BAL |
| | OUT_PRIN_BAL_DT |
| | PER_BEG_DT |
| | PER_END_DT |
| STUDENT | CURR_CAN_DT |
| | CURR_FST |
| | CURR_LST |
| | CURR_SSN |

| Entity | Attribute |
|--------------|-------------|
| | DOB |
| PLUS_BORR | CURR_FST |
| | CURR_LST |
| | CURR_SSN |
| | DOB |
| LOAN_STAT | CODE |
| | DT |
| SCH | CODE |
| SCH_BR | CODE |
| LEN | CODE |
| LEN_BR | CODE |
| LOAN_TYPE | CODE |
| LOAN_GUA | RESP_BEG_DT |
| | RESP_END_DT |
| GA | CODE |
| LOAN_CAN | DT |
| | AMT_DFF |
| LOAN_EXTL_ID | SRC |
| | CODR |
| | SYS_CR_DATE |

1.2.4.2 Outputs

AMF_DETAIL_TEMP

| Data Element | Length | Type | Description | Mapping |
|--------------|--------|------|---|--------------|
| STU_SSN | 9 | C | Title IV aid recipient or beneficiary's SSN | STU.CURR_SSN |
| STU_DOB | 8 | D | Date when a Title IV aid recipient or beneficiary was born; CCYYMMDD format | STU.DOB |
| STU_FST | 12 | C | Title IV aid recipient or beneficiary's first name | STU.CURR_FST |

| Data Element | Length | Type | Description | Mapping |
|-------------------|--------|------|---|--|
| STU_LST | 35 | C | Title IV aid recipient or beneficiary's last name | STU.CURR_LST |
| LOAN_TYPE | 2 | C | Code indicating type of aid received or guaranteed: SF-Stafford SU-Unsubsidized Stafford PL-Plus SL-Supplemental Loans CL-Consolidation Loans RF-Refinanced | LOAN.LOAN_TYPE |
| LOAN_DT | 8 | D | Date the FFEL loan was originally guaranteed; CCYYMMDD format. | LOAN.DT |
| LOAN_FFEL_DUP_ID | 1 | C | An indicator used to differentiate among multiple loans of the same type, which have the same guaranty date for same student attending the same school. | LOAN_FFEL_DUP_ID |
| SCH_CODE | 8 | C | ED Office of Postsecondary Education (OPE) code for school in which student was enrolled or accepted for enrollment at the time the loan was made. | LOAN.SCH_CODE |
| LOAN_EXTL_ID_CODE | 21 | C | Unique ID that has been assigned to a loan by the Guaranty agency (optional Future). | LOAN_EXTL_ID.CODE |
| PLUS_BO_SSN | 9 | C | Applicable to PLUS (PL) Loans only. It will be set to spaces otherwise. | PLUS_BO.CURR_SSN |
| PLUS_BO_DOB | 8 | D | Applicable to PLUS (PL) Loans only. It will be set to spaces otherwise. | PLUS_BO.DOB |
| PLUS_BO_FST | 12 | C | Applicable to PLUS (PL) Loans only. It will be set to spaces otherwise. | PLUS_BO.CURR_FST |
| PLUS_BO_LST | 35 | C | Applicable to PLUS (PL) Loans only. It will be set to spaces otherwise. | PLUS_BO.CURR_LST |
| LOAN_AMT | 6 | N | Original dollar amount, before any cancellations, of the FFEL loan guaranty. For loans subrogated and received by NSLDS before the date of extract but after the end of the FY, this reflects the cumulative disbursement amount regardless of the guarantor at the time of disbursement. | LOAN.AMT |
| DIS_DT | 8 | D | Date of latest disbursement as reported to NSLDS before the FY end date; CCYYMMDD format. | LOAN.CURR_DIS_DT or LOAN_DIS.DT (see procedure logic) |

| Data Element | Length | Type | Description | Mapping |
|------------------------|---------------|-------------|---|--|
| DIS_AMT | 6 | N | The cumulative amount of loan disbursement(s) last reported to NSLDS before the FY end date. | LOAN.TOT_DIS or LOAN_DIS.CUM_AMT (see procedure logic) |
| CAN_DT | 8 | D | Date when all or part of a loan was canceled; CCYYMMDD format. When the Amount of Cancellation is zero, this will have the default value 00000000. | LOAN.CURR_CAN_DT or LOAN_CAN.DT (see procedure logic) |
| CAN_AMT | 6 | N. | The cumulative amount of loan or disbursement(s) that was cancelled, including other loans cancelled and unconsummated loans cancelled as of the end of the FY. | LOAN.TOT_CAN or LOAN_CAN.CUM_AMT (see procedure logic) |
| LOAN_OUT_PRIN_BAL_DT | 8 | D | Date on which value in Amount of Outstanding Principal Balance was updated. | LOAN.OUT_PRIN_BAL_DT |
| LOAN_OUT_PRIN_BAL | 6 | N | The cumulative dollar value of the outstanding balance due on a loan, including capitalized interest. | LOAN.OUT_PRIN_BAL |
| CURR_LOAN_STAT_DT | 8 | D | Date on which the current code for loan status became effective. | LOAN.CURR_LOAN_STAT_DT or LOAN_STAT.DT |
| CURR_LOAN_STAT | 2 | C | Code representing the loan status of a borrower's loan as reflected in the Guaranty Agency's System at the end of the FY. | LOAN.CURR_LOAN_STAT or LOAN_STAT.CODE |
| LOAN_CURR_MAT_DT | 8 | D | Loan Date of Maturity (Date entered Repayment) | LOAN.CURR_MAT_DT |
| LOAN_PER_BEG_DT | 8 | D | Date on which Enrollment Period begins. | LOAN.PER_BEG_DT |
| LOAN_PER_END_DT | 8 | D | Date on which Enrollment Period ends. | LOAN.PER_END_DT |
| LOAN_CURR_LEN_SVR_CODE | 6 | C | Code for Lender Servicer as of the extract date of this file | LOAN.CURR_LEN_SVR_CODE |
| LOAN_CURR_LEN_CODE | 6 | C | Code for Current Lender as of the extract date of this file | LOAN.CURR_LEN_CODE |
| LOAN_ORIG_LEN_CODE | 6 | C | Code for Original Lender. All loans originally created from DCS or TGA will have this set to 000000. | LOAN.ORIG_LEN_CODE |

| Data Element | Length | Type | Description | Mapping |
|----------------------|--------|------|--|---|
| BYPASS_CAN_FLAG | 1 | C | Indicator when set to 'Y, the Cancellation Amount reset to 0, as the guaranty amount has already been subrogated and reflects the adjusted amount. | See Procedure Logic - BYPASS_CAN_FLAG_VAR |
| LOAN_GUA_RESP_BEG_DT | 8 | D | Responsible Begin Date for Loan Guarantor | LOAN_GUA.RESP_BEG_DT |
| LOAN_GUA_RESP_END_DT | 8 | D | Responsible End Date for Loan Guarantor | LOAN_GUA.RESP_END_DT |
| LOAN_GUA_GA_CODE | 3 | C | Responsible Guaranty Agency Code | LOAN_GUA.GA_CODE |

1.2.4.3 Definitions

Loan Type Codes

| Program | Type Code | Description |
|---------|-----------|------------------------------|
| FFEL | CL | FFEL Consolidated |
| | PL | FFEL PLUS |
| | RF | FFEL Refinanced |
| | SF | FFEL Stafford Subsidized |
| | SL | Supplemental Loan (SLS) |
| | SN | FFEL Stafford Non-Subsidized |
| | SU | FFEL Stafford Unsubsidized |

Loan Status Codes

| Status Category | Status Code | Description |
|-----------------|-------------|-----------------|
| Open | ID | In School/Grace |
| | DA | Deferral |
| | FB | Forbearance |
| | RP | Repayment |

1.2.5 Computational Logic – Calculate AMF Summary

/******
This step sums the AMF detail and then loads the GA_SUM table. The data is grouped by GA and then grouped by GA and Loan Type. The process also computes the Account Maintenance Fee for each GA by multiplying the net guaranty amount by the current rate. The current rate is stored in the validation translation table by the year the rate became effective. The table is read in descending order to select the rate that is in effect for the year being processed. The AMF rate is .10 percent after 9/30/2000 (FY2000), and prior to that date, the rate is 0 .12 percent.
******/

/* Retrieve the current AMF Rate */

Select LKUP_RSLT from VAL_TRSL_TAB (Validation Translation Table)

Where LKUP_TYPE_NM = 'AMF FEE RATE'

And LKUP_ID <= PARM_ATTR_TEMP.RPT_END_DT (report end date)

Order By LKUP_ID Descending

Set AMF_RATE_VAR = LKUP_RSLT * .0001

/* Note: Since rates stored in the validation translation table are stored in whole numbers, the value is multiplied by .0001. As stored in VAL_TRSL_TAB, LKUP_RSLT is 10 from fiscal year beginning 20001001 (FY2001), 12 from fiscal year beginning 19981001 (FY1999) */

/* Calculate the following using the AMF_DETAIL_TEMP table */

Group AMF_DETAIL_TEMP by GA

SUM Total Guaranty Amount (across all loan type)

Set NSLDS Assigned Code to 8953

Leave Loan Type blank

SUM Total Cancellation Amount (across all loan type)

Set NSLDS Assigned Code to 8954

Leave Loan Type blank

SET Total Net Guaranty Amount = Total Guaranty Amount – Total Cancellation Amount

Set NSLDS Assigned Code to 8955

Leave Loan Type blank

/* Accounts Maintenance Fee is calculated across all loan types, not for single loan types*/

SET Accounts Maintenance Fee Amount = Total Net Guaranty Amount * AMF_RATE_VAR

Set NSLDS Assigned Code to 8934

Group AMF_DETAIL_TEMP by GA and then Loan type

SUM Loan Type Guaranty Amount (For a single Loan type)

Set NSLDS Assigned Code to 8953

SUM Loan Type Cancellation Amount (For a single Loan type)
Set NSLDS Assigned Code to 8954

SET Loan Type Net Guaranty Amount = Loan Type Guaranty Amount -
Loan Type Cancellation Amount (For a single Loan type)
Set NSLDS Assigned Code to 8955

Set GA_SUM. OFFC_RUN_IND = PARM_ATTR_TEMP. FEE_PAY_IND

If GA_SUM record exists where (RPT_BEG_DT = PARM_ATTR_TEMP.RPT_BEG_DT and
RPT_END_DT = PARM_ATTR_TEMP.RPT_END_DT and GA_CODE =
AMF_DETAIL_TEMP.LOAN_GUA_GA_CODE and AGG_DESC_DET_ID = (AMF_DETAIL_TEMP
LOAN_TYPE or Blank as set in above logic)

Set GA_SUM.CMPT_TYPE = 'R' /*File contains recomputed data*/

If GA_SUM. OFFC_RUN_IND = Y for old and new entries

/* If a GA_SUMMARY table entry already exists for the period, then the old record
must be updated by setting fee paid indicator = space */

Set GA_SUM. OFFC_RUN_IND for the old record to space

End if

Else

Set GA_SUM.CMPT_TYPE = 'O' /*File contains original data*/

End If

Set GA_SUM.SRC (source) = 'NSL2000'

Set Create time and Create Date from system current timestamp.

Create GA_SUMMARY occurrence only for each NON-zero aggregated value computed above.

/*Note: The **AMF Summary Interface (see I-FMS-1 interface document)** selects only records where
PARM_ATTR_TEMP.FEE_PAY_IND = 'Y'*/

Start the **Individual GA AMF Loan detail File Create, Transmit, and Backup** procedure

1.2.5.1 Inputs

PARM_ATTR_TEMP (see 1.2.3.2 Outputs for layout)

AMF_DETAIL_TEMP (see 1.2.4.2 Outputs for layout)

1.2.5.2 Outputs

GA_SUM

| Data Element | Length | Type | Description | Mapping |
|-----------------|--------|------|--|---|
| AGG_DESC_DET_ID | 2 | N | Designer added attribute, which will allow a unique identification of an occurrence of this entity. It will allow for grouping of aggregate descriptor items. For AMF, Loan Type is used | See Procedure Logic (AMF_DETAIL_TEMP. LOAN_TYPE or Blank for GA total record) |
| AGG_DESC_ID | 2 | N | Designer added attribute, which will allow a unique identification of an occurrence of this entity. | See Procedure Logic |
| AMT | 15 | N | A calculated total dollar amount based on an associated AGGREGATE_DESCRIPTOR. Note that this attribute is optional. Examples of summarized amounts would be Loan Amount Guaranty, Amount of Cancellations, Claim Amount, Repurchase Amount, etc. | See Procedure Logic |
| CMPT_TYPE | 1 | C | This represents the type of computation for the summarized data. First time it will be set to O, which implies it is Original Computation for NSLDS, summarized data. For ED form data it represents the first time reporting for a specific period. If the data were to be received more than once or computed multiple | See Procedure Logic |
| GA_CODE | 3 | C | Three-digit, all numeric identification code of the GA guaranteeing an FFEL Program Loan. | PARM_ATTR_TEMP. GA_CODE |
| NO | 4 | N | A calculated total number of loans or accounts based on the associated AGGREGATE_DESCRIPTOR. Note that this attribute is optional – AMF processing currently does not do | NULL |
| OFFC_RUN_IND | 1 | C | This represents the record type of the summary record. When set to Y indicates that the summary record was used to pay Fee such as LPIF and AMF. When set to blank, the GA Summary record was used only for analysis, but not for Fee Payment. | PARM_ATTR_TEMP. FEE_PAY_IND |
| RPT_BEG_DT | 8 | D | Start date for which the report is to be generated. Normally this is the beginning of a Quarter or a Month. | PARM_ATTR_TEMP.RPT_BEG_DT |

| Data Element | Length | Type | Description | Mapping |
|--------------|--------|------|--|---------------------------|
| RPT_END_DT | 8 | D | End date for which the report is to be generated. This is normally end of quarter or end of a month. | PARM_ATTR_TEMP.RPT_END_DT |
| SRC | 8 | C | This will identify the source of the Summary information. For NSLDS computed form 2000 information it will be NSL2000. The corresponding ED2000 line item data from GAQ will be ED2000. Similarly it will be NSL2000 and ED2000 for form 2000 processing. For information not related to any of the forms it will be simply NSLDS. | 'NSL2000' |
| SYS_CR_DT | 8 | D | For NSLDS it is the date on which the summary was created. For ED 2000 line item it is the date when the submittal file was created by the GAQ system. Format is CCYYMMDD. | Current System Timestamp |
| SYS_CR_TM | 8 | T | For NSLDS it is the date on which the summary was created. For ED 2000 line item it is the date when the submittal file was created by the GAQ system. Format is HH:MM:SS. | Current System Timestamp |

1.2.5.3 Definitions

NSLDS Codes for ED2000 Line Items

| NSLDS Codes for ED2000 Line Items (FY Data) | | |
|---|-------------------------|---------------------|
| ED Form 2000 Line Item | ED2000 Line Item Number | NSLDS Assigned Code |
| Loans Guaranteed Amount (except Federal Consolidation) (Include Federal SLS and Federal Plus Refinanced loans) | AR-1 | 8901 |
| Loans Canceled Amount (except Federal Consolidation) (Sum of Unconsummated and Other) | AR-2 | 8902 |
| Federal Consolidation Loans Guaranteed Amount | AR-3 | 8903 |
| Federal Consolidation Loans Canceled Amount | AR-4 | 8904 |

| NSLDS Codes for ED2000 Line Items (FY Data) | | |
|--|--------------------------------|----------------------------|
| ED Form 2000 Line Item | ED2000 Line Item Number | NSLDS Assigned Code |
| Loans Transferred In | AR-6 | 8906 |
| Loans Transferred Out | AR-7 | 8907 |
| Default Claim Paid | AR-8 | 8908 |
| Death and Disability Claims Paid | AR-10 | 8910 |
| Closed School/ False Certification Claims Paid | AR-11 | 8911 |
| Loans Paid in Full | AR-12 | 8912 |
| Federal Stafford and Unsubsidized Stafford Interim Loans | AR-13 | 8913 |
| Loan Processing and Issuance Fee | AR-33 | 8933 |
| Account Maintenance Fee | AR-34 | 8934 |
| LPIF Guaranty Amount | | 8950 |
| LPIF Cancellation Amount | | 8951 |
| LPIF Disbursement Amount | | 8952 |
| AMF Guaranty Amount | | 8953 |
| AMF Cancellation Amount | | 8954 |
| AMF Net Guaranty | | 8955 |

1.2.6 Procedure Assumptions

| # | Assumption |
|---|--|
| 1 | The AMF is computed as of the date of the run. |
| 2 | Scheduled mode is always run 45 days after the last day of the Fiscal Year. If the scheduled mode is run before the set Number of Days Back (SEQ 14), then it will be a re-run of the scheduled mode run the prior year. |

1.3 Individual GA AMF Loan Detail File Create, Transmit, and Backup

1.3.1 Procedure Specifications

| | |
|---|--|
| Procedure Name: | Individual GA AMF Loan Detail File Create, Transmit, and Backup |
| Procedure Short Description: | This procedure creates the GA AMF Loan Detail File and transmits it to the GAs |
| Data Source: | AMF_DETAIL_TEMP and GA_SUM data populated during the AMF Detail Extract and Summarize procedure |
| Procedure Frequency: | 5-6 times a year |
| Detailed Technical Requirement References: | 5.039, 5.041 |
| Output Media: | Flat Files in EBCDIC format put to Tape for distribution |
| Output Target Platform: | NSLDS II DB2 EEE |
| Output Storage Requirements: | 36 GA files with snap shot of all loans as of Fiscal Year end |
| Related Interfaces/Screens: | FMS (See Interface Detail Design: I-FMS-1 Section 1.2 AMF Summary Interface) MBR007 (See NSLDS II Reengineering Screens Detail Design: Exception Reports Section 3.11 Accounts Maintenance Fee Extract Report Parameter) |

1.3.2 Procedure Flow




Figure 3, Individual GA AMF Loan Detail File Create, Transmit, and Backup

1.3.3 Computational Logic – Generate AMF Detail

/*****

This procedure creates a separate file for each GA found in the AMF_DETAIL_TEMP table. The separate files will be transmitted to each GA and contain the detail records of the fees to be paid by FSA. If the backup data distribution flag is set to 'Y' on the online request screen, or if the job is run on scheduled mode, the files will be sent to tape for output distribution. A TIF file will also be created to give the necessary address information for shipping the tapes.

Regardless of the backup data distribution flag being set to 'Y' or 'N', the file's name will have a high-level qualifier of the user ID requesting the run. The file will be stored on the DB2 database server in a file directory reserved for exception reports. Users will be able to retrieve and download these reports from the MicroStrategy Web interface through an FTP connection to the database server. Users will have access to these reports up to 120 days after they have been created.

*****/

/*Create the Dataset Name that will be used for distribution functionality*/

If backup data distribution flag = 'N'

Read GA_SUM.GA_CODE for current timestamp from the GA_SUM and then select all detail records from temp table for GA ordered by SSN and then Loan Type

/* For Request with No backup, 'C' in 'NSLPC' indicates the files will not be put to tape. The dataset name is set as NSLPC +User ID +GA Code +AMF + Fiscal Year End Date +Time Stamp (CCYYMMDDHH:MM:SS) for example
NSLPC.S2S12345.GA375.AMF09312002.2002111409:16:30 */

Set DATASET_NM_VAR =
'NSLPC.'PARM_ATTR_TEMP.UID'.GA_SUM.GA_CODE'.AMF'GA_SUM.RPT_END_DT'.GA_SUM.SYS_CR_DT GA_SUM.SYS_CR_TM

Write Header Record

Write all the AMF Loan detailed records

Select GA, Count records, sum loan amount, sum can amount, sum net guaranty amount (loan amount – can amount) from detail table

Group by GA

Write Trailer Record

Set File Name to DATASET_NM_VAR

End GA_SUM.GA_CODE loop

End the Procedure

Else /*the backup data distribution flag is Y*/

Read GA_SUM.GA_CODE for current timestamp from the GA_SUM and then select all detail records from temp table for GA ordered by SSN and then Loan Type

```
/* The dataset name is set as NSLPT +User ID + GA Code +AMF +Quarter End Date  
+Time Stamp (CCYYMMDDHH:MM:SS) NOTE: For scheduled LPIF there is a default  
User ID*/
```

```
Set DATASET_NM_VAR =  
'NSLPT.'PARM_ATTR_TEMP.UID'.'GA_SUM.GA_CODE'.AMF'GA_SUM.RPT_END_  
DT'.'GA_SUM. SYS_CR_DT GA_SUM. SYS_CR_TM
```

Write Header Record

Write all the AMF Loan detailed records

Select GA, Count records, sum loan amount, sum can amount, sum net guaranty amount (loan amount – can amount) from detail table

Group by GA

Write Trailer Record

Set File Name to DATASET_NM_VAR

Select GA info from TIF_INFO table, Create TIF File if not yet created, and write a line to the TIF file

End GA_SUM.GA_CODE loop

EndIf

/*Users will be able to retrieve their exception reports for download from a MicroStrategy web screen. There will be an ASP code module on this screen that checks the DB2 database server file directory for any exception reports that have been generated. Only reports with a User ID (embedded in dataset name) that matches the User ID of the user logged into MicroStrategy will be displayed in the given dropdown. */

Place detailed files in the file directory reserved for exception reports

Backup the Detail Data

End the Procedure

1.3.3.1 Inputs

PARM_ATTR_TEMP (see 1.2.3.2 Outputs for layout)

AMF_DETAIL_TEMP (see 1.2.4.2 Outputs for layout)

GA_SUM (see 1.2.5.2 Outputs for layout)

TIF_INFO

| Data Element | Length | Type | Description |
|--------------|--------|------|-------------------|
| FST_NM | 12 | C | First Name |
| LST_NM | 35 | C | Last Name |
| ORG | 60 | C | Organization Name |
| ADD_LN1 | 50 | C | Address Line 1 |
| ADD_LN2 | 50 | C | Address Line 2 |
| CITY | 20 | C | City |
| STATE | 2 | C | State |
| COUNTRY | 20 | C | Country |
| ZIP | 9 | C | Zip Code |
| TAPE_FMT | 3 | C | Tape format |

1.3.3.2 Outputs

GA AMF Loan Header Record Layout Length = 300

| Data Element | Field Position | Length | Type | Description | Mapping |
|------------------------|----------------|--------|------|--|------------------------|
| Record Sequence Number | 1 | 9 | N | Positional sort field for sorting the header record to the top of the file. Set the value to all zeroes; '000000000' | '000000000' |
| Code for GA | 10 | 3 | C | Identification code for guaranty agency | GA_SUM.GA_CODE |
| Report Begin Date | 13 | 8 | D | Start date of fiscal year; CCYYMMDD format | GA_SUM.RPT_BEG_DT |
| Report End Date | 21 | 8 | D | End date of fiscal year; CCYYMMDD format | GA_SUM.RPT_END_DT |
| Filler | 29 | 1 | C | Spaces | Spaces |
| Create Date | 30 | 8 | D | Date on which the file is created; CCYYMMDD format | GA_SUM.SYS_CR_DT |
| Create Time | 38 | 8 | C | Time when the file is created; HH:MM:SS format | GA_SUM.SYS_CR_TM |
| File Description | 46 | 30 | C | 'GA AMF DETAIL HEADER' | 'GA AMF DETAIL HEADER' |
| Filler | 76 | 225 | C | Spaces | Spaces |

GA AMF Loan Detail Record Layout Length = 300

| Data Element | Field Position | Length | Type | Description | Mapping |
|----------------------------------|-----------------------|---------------|-------------|--|-----------------------------------|
| Student's Social Security Number | 1 | 9 | C | Title IV aid recipient or beneficiary's SSN | AMF_DETAIL_TEMP.STU_SSN |
| Date of Student's Birth | 10 | 8 | D | Date when a Title IV aid recipient or beneficiary was born; CCYYMMDD format | AMF_DETAIL_TEMP.STU_DOB |
| Student's First Name | 18 | 12 | C | Title IV aid recipient or beneficiary's first name | AMF_DETAIL_TEMP.STU_FST |
| Student's Last Name | 30 | 35 | C | Title IV aid recipient or beneficiary's last name | AMF_DETAIL_TEMP.STU_LST |
| Type of Loan | 65 | 2 | C | Code indicating type of aid received or guaranteed: SF-Stafford SU-Unsubsidized Stafford PL-Plus SL-Supplemental Loans CL-Consolidation Loans RF-Refinanced. | AMF_DETAIL_TEMP.LOAN_TYPE |
| Date of Guaranty | 67 | 8 | D | Date the FFEL loan was originally guaranteed; CCYYMMDD format | AMF_DETAIL_TEMP.LOAN_DT |
| Indicator of Separate Loan | 75 | 1 | C | An indicator used to differentiate among multiple loans of the same type, which have the same guaranty date for same student attending the same school | AMF_DETAIL_TEMP.LOAN_FFEL_DUP_ID |
| Code for Original School | 76 | 8 | C | ED Office of Post Secondary Education (OPE) code for school in which student was enrolled or accepted for enrollment at the time the loan was made | AMF_DETAIL_TEMP.SCH_CODE |
| GA Unique Loan ID | 84 | 21 | C | Unique ID that has been assigned to a loan by the Guaranty agency (optional Future) | AMF_DETAIL_TEMP.LOAN_EXTL_ID_CODE |

| Data Element | Field Position | Length | Type | Description | Mapping |
|--|-----------------------|---------------|-------------|---|--------------------------------------|
| PLUS Borrower's Social Security Number | 105 | 9 | C | Applicable to PLUS (PL) Loans only. It will be set to spaces otherwise. | AMF_DETAIL_TEMP.PLUS_BO_SSN |
| PLUS Borrower's Date of Birth | 114 | 8 | D | Applicable to PLUS (PL) Loans only. It will be set to spaces otherwise. | AMF_DETAIL_TEMP.PLUS_BO_DOB |
| PLUS Borrower's First Name | 122 | 12 | C | Applicable to PLUS (PL) Loans only. It will be set to spaces otherwise. | AMF_DETAIL_TEMP.PLUS_BO_FST |
| PLUS Borrower's Last Name | 134 | 35 | C | Applicable to PLUS (PL) Loans only. It will be set to spaces otherwise. | AMF_DETAIL_TEMP.PLUS_BO_LST |
| Amount of Guaranty | 169 | 6 | N | Original dollar amount, before any cancellations, of the FFEL loan guaranty. For loans subrogated and received by NSLDS before the date of extract but after the end of the FY, this reflects the cumulative disbursement amount. | AMF_DETAIL_TEMP.LOAN_AMT |
| Date of Disbursement | 175 | 8 | D | Date of latest disbursement as reported to NSLDS before the FY end date; CCYYMMDD format | AMF_DETAIL_TEMP.DIS_DT |
| Amount of Disbursement | 183 | 6 | N | The cumulative amount of loan disbursement(s) last reported to NSLDS before the FY end date | AMF_DETAIL_TEMP.DIS_AMT |
| Date of Cancellation | 189 | 8 | D | Date when all or part of a loan was canceled; CCYYMMDD format. When the Amount of Cancellation is zero, this will have the default value 00000000 | AMF_DETAIL_TEMP.CAN_DT |
| Amount of Cancellation | 197 | 6 | N | The cumulative amount of loan or disbursement(s) that was cancelled, including other loans cancelled and un consummated loans cancelled as of the end of the FY | AMF_DETAIL_TEMP.CAN_AMT |
| Date of Outstanding Principal Balance | 203 | 8 | D | Date on which value in Amount of Outstanding Principal Balance was updated | AMF_DETAIL_TEMP.LOAN_OUT_PRIN_BAL_DT |

| Data Element | Field Position | Length | Type | Description | Mapping |
|--|-----------------------|---------------|-------------|---|--|
| Amount of Outstanding Principal Balance | 211 | 6 | N | The cumulative dollar value of the outstanding balance due on a loan, including capitalized interest | AMF_DETAIL_TEMP.LOAN_OUT_P RIN_BAL |
| Loan Status Date | 217 | 8 | D | Date on which the current code for loan status became effective. | AMF_DETAIL_TEMP.CURRENT_LOAN_S TAT_DT |
| Code for Loan Status | 225 | 2 | C | Code representing the loan status of a borrower's loan as reflected in the Guaranty Agency's System at the end of the FY | AMF_DETAIL_TEMP.CURRENT_LOAN_S TAT |
| Date of Maturity | 227 | 8 | D | Loan Date of Maturity (Date entered Repayment) | AMF_DETAIL_TEMP.LOAN_CURR_ MAT_DT |
| Period Begin Date | 235 | 8 | D | Date on which Enrolment Period begins | AMF_DETAIL_TEMP.LOAN_PER_BE G_DT |
| Period End Date | 243 | 8 | D | Date on which Enrolment Period ends | AMF_DETAIL_TEMP.LOAN_PER_EN D_DT |
| Code for Servicer | 251 | 6 | C | Code for Lender Servicer as of the extract date of this file | AMF_DETAIL_TEMP.LOAN_CURR_ LEN_SVR_C ODE |
| Code for Current Holder Lender | 257 | 6 | C | Code for Current Lender as of the extract date of this file | AMF_DETAIL_TEMP.LOAN_CURR_ LEN_CODE |
| Code for Originating FFEL Lender | 263 | 6 | C | Code for Original Lender. All loans originally created from DCS or TGA will have this set to 000000. | AMF_DETAIL_TEMP.LOAN_ORIG_L EN_CODE |
| Indicator for exclusion of Cancellation Amount | 269 | 1 | D | Indicator when set to 'Y', the Cancellation Amount reset to 0, as the guaranty amount has already been subrogated and reflects the adjusted amount. | AMF_DETAIL_TEMP.BYPASS_CAN _FLAG |

| Data Element | Field Position | Length | Type | Description | Mapping |
|------------------------|-----------------------|---------------|-------------|---|---|
| Responsible Begin Date | 270 | 8 | D | Responsible Begin Date for Loan Guarantor | AMF_DETAIL_TEMP_LOAN_GUARANTOR_BEGIN_DATE |
| Responsible End Date | 278 | 8 | D | Responsible End Date for Loan Guarantor | AMF_DETAIL_TEMP_LOAN_GUARANTOR_END_DATE |
| Filler | 286 | 15 | | Spaces | Spaces |

GA AMF Loan Trailer Record Layout Length = 300

| Data Element | Field Position | Length | Type | Description | Mapping |
|--------------------------------|-----------------------|---------------|-------------|---|---|
| Record Sequence Number | 1 | 9 | N | Positional sort field for sorting the header record to the top of the file. Set the value to all nines; '999999999' | '999999999' |
| Code for GA | 10 | 3 | C | Identification code for guaranty agency | GA_SUM.GA_CODE |
| File Description | 13 | 30 | C | 'GA AMF DETAIL TRAILER' | 'GA AMF DETAIL TRAILER' |
| Total Number of Detail Records | 43 | 9 | N. | This number reflects the number of detail records contained in the current file excluding header and trailer. | See Procedure Logic (Select from detail table and group to calculate the sum) |
| Total Guaranty Amount | 52 | 15 | N | The sum of all guaranty amounts in this file | See Procedure Logic (Select from detail table and group to calculate the sum) |

| Data Element | Field Position | Length | Type | Description | Mapping |
|---------------------------|----------------|--------|------|--|---|
| Total Cancellation Amount | 67 | 15 | N | The sum of all cancellation amounts in this file | See Procedure Logic (Select from detail table and group to calculate the sum) |
| Total Net Guaranty Amount | 82 | 15 | N | The difference between the Total Guaranty Amount and the Total Cancellation Amount; signed numeric field | See Procedure Logic (Select from detail table and group to calculate the sum) |
| Filler | 97 | 204 | C | Spaces | Spaces |

Transmission Interface File Length = 305

| Data Element | Field Position | Length | Type | Description | Mapping |
|----------------|----------------|--------|------|--------------------------------------|---------------------|
| First Name | 1 | 12 | C | First Name | TIF_INFO.FST_NM |
| Last Name | 13 | 35 | C | Last Name | TIF_INFO.LST_NM |
| Organization | 48 | 60 | C | Organization Name | TIF_INFO.ORG |
| Address line 1 | 108 | 50 | C | Address Line 1 | TIF_INFO.ADD_LN1 |
| Address line 2 | 158 | 50 | C | Address Line 2 | TIF_INFO.ADD_LN2 |
| City | 208 | 20 | C | City | TIF_INFO.CITY |
| State | 228 | 2 | C | State | TIF_INFO.STATE |
| Country | 230 | 20 | C | Country | TIF_INFO.COUNTRY |
| Zip | 250 | 9 | C | Zip Code | TIF_INFO.ZIP |
| Tape Format | 259 | 3 | C | Tape format | TIF_INFO.TAPE_FMT |
| Dataset Name | 262 | 44 | C | Dataset name for output distribution | See Procedure Logic |

1.3.4 Procedure Assumptions

| # | Assumption |
|---|--|
| 1 | A separate output distribution procedure will create the individual GA tapes. Tape generation specifics will |

| | |
|---|--|
| | be further defined based on the final NSLDS II platform configuration. The basic functionality will allow TIF labels to be printed and detail data to be put to tape (utilizing the dataset naming convention) |
| 2 | All detailed AMF data will be backed up on tape. The back up process will be further defined based on the final NSLDS II platform configuration. |